

POLY800 PRECISION PART A-C

WATER BASED FORMULA, STAIN-FREE GROUT

SECTION 1: General Information

Manufactured By: LA MARGNA INC
412 St-Sacremont
Quebec (PQ)
G1N 3Y3
(Canada)

Contact: 1-800-838-4237
Fax: 1-418-688-2070

Website: WWW.PROFIXSYSTEMS.COM

E-mail: INFO@PROFIXSYSTEMS.COM

In case of chemical emergency involving a spill, leak, fire, explosion, exposure or accident, contact the following:
CANUTEC (Canada) 1-613-996-6666 CHEMTREC (United-States) 1-800-424-9300

SECTION 2: Physical Characteristics

PHYSICAL APPEARANCE	POWDER / DEPANDING ON COLORS
VAPOUR PRESSURE	N/A
VAPOUR DENSITY	N/A
BOILING POINT	N/A
FREEZING POINT	N/A
P.H.	N/A
SOLUBILITY IN WATER	SOLUBLE
ODOUR	ODORLESS
EVAPORATION RATE	N/A
SPECIFIC GRAVITY	0.97

SECTION 3: Danger Evaluation

DAINGEROUS INGREDIENTS	%	CAS	LD 50 (SPECIES + ROUTE)	CL 50 (SPECIES)
EPOXY RESINE	15	25068-38-6	N/A	N/A
ALKYL C12-C14 GLYCIDYL ETHER	3-10	68609-97-2	3500 mg/kg orl-rat	6100 mg/L
NONYLPHENOL	N/A	25154-52-3	N/A	N/A
SILICE CRISTALLINE	60-70	14808-60-7	N/A	N/A
HYDRATED AMORPHOUS SILICA	1-5	7631-86-9	N/A	N/A
EPOXY AMINE ADDUCT POLYMER	5-10	HMIRC 8269	N/A	N/A
O-CRESYL GLYCIDYL ETHER	5-10	0002210-79-9	N/A	N/A

SECTION 4: Transport

UNREGULATED

SECTION 5: Reactivity Data

STABILITY	Stable (Avoid strong oxidizing agents and sources of ignition)
MATERIALS TO AVOID	Avoid strong oxidizing agents and strong acids and bases.
CONDITIONS TO AVOID	Hydrates with water and is partly soluble in acids. Oxides of carbon and nitrogen will form if caught on fire.
DECOMPOSITION HAZARD FROM BY-PRODUCTS	Oxides of carbon, HBr, hydrocarbon fragments.

SECTION 6: Health Hazard Data

ACUTE EFFECTS

EYES CONTACT: The mixture has not been tested on laboratory animals. Based on the effects of components, contact with eyes will cause irritation and can result in alkaline burns if not flushed immediately with running water.

SKIN CONTACT: The mixture has not been tested on laboratory animals. Based on the effects of components, prolonged or repeated contact may cause irritation. If skin is moist, irritation and alkaline burning can occur if area is not immediately flushed with running water. Not expected to be toxic by the dermal route.

INGESTION: The oral LD 50 of the mixture has not been determined. Based on the effects of components, ingestion of large amounts can cause irritation and alkaline burning of the mouth and throat.

INHALATION: The LD 50 of the mixture has not been determined, but the mixture is not expected to be acutely toxic by inhalation. Inhalation of high concentrations will cause irritation and can cause alkaline burns of the mouth, throat and respiratory passage and may lead to chronic effects.

CHRONIC EFFECTS

Portland cement dust can cause inflammation of the eyes and nasal passages. People with sensitive skin may experience an allergic reaction. In contact with water calcium hydroxide produces an alkaline liquid with a PH of 12 to 13, which can be a source of eye and skin irritation and burning, Inhalation or ingestion can cause irritation and burning of the mouth, throat and respiratory tract. Contains crystalline silica. Overexposure by inhalation to crystalline silica causes silicosis, an irreversible and progressive scarring of the lungs. Symptoms may include breathlessness, weakness and cough with sputum. May progress to respiratory and heart failure. The IARC classifies crystalline silica in Group 2A based on limited evidence for carcinogenicity to humans and sufficient evidence for carcinogenicity in animals.

CANCEROGENICITY

The IARC classifies crystalline silica in Group 2A based on limited evidence for carcinogenicity to humans and sufficient evidence for carcinogenicity in animals. Portland cement dust can cause inflammation of the eyes and nasal passages.

SIGNS OF OVEREXPOSURE

Overexposure by inhalation to crystalline silica causes silicosis, an irreversible and progressive scarring of the lungs. Symptoms may include breathlessness, weakness and cough with sputum. May progress to respiratory and heart failure.

SECTION 7: Emergency and First Aid Measures

SKIN CONTACT

Wash thoroughly with running water. Seek medical attention if irritation persists.

INHALATION

Move the person to a well vented area and give fresh air. Seek medical attention.

EYE CONTACT

Flush with running water, be sure to flush under eyelids, seek immediate medical attention.

INGESTION

Flush mouth and throat with water, dilute with large quantities of water or milk, seek immediate medical attention. Do not induce vomiting.

SECTION 8: Safe Use and Storage

CONTROL TECHNIQUE

External ventilation system to remove or collect dust produced.

IN CASE OF SPILL OR LEAKAGE

Stop leak if safe to do. Clean up spills immediately. Wipe or absorb with sand or other absorbent material. Flush area with dilute (5%) acetic acid.

WASTE DISPOSAL METHOD

Contact local environmental agency to dispose in approved landfill.

HANDLING AND STORAGE

Keep container closed when not in use. Store in dry, sealed containers.

ADDITIONAL PRECAUTIONS

Wear appropriate equipment. Keep container closed when not in use.

SECTION 9: Control Measures

PERSONAL PROTECTIVE EQUIPMENT

GLOVES:

Rubber or plastic.

RESPIRATORY EQUIPMENT:

Masks approved by MSHA / NIOSH for crystalline silica dust and Portland cement.

SHOES:

Resistant to dust.

EYES:

Safety glasses with protective shields.

CLOTHING:

Wear rubber apron or standard work clothes.

OTHER:

Emergency eye shower, separate laundry work and leisure.

ENGINEERING CONTROLS:

Ventilation system outside to eliminate or gathering dust produced.

SECTION 10: Fire and explosion hazards

FLAMMABLE

IF YES, UNDER WHAT CONDITIONS: No

EXTINGUISHING MEDIA: CO₂, foam, water

FLASH POINT: 260°C (LOC)

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide and nitrogen

This MSDS sheet is valid for a period of three (3) years following the date inscribed below
MSDS sheet prepared by: Daniel James-Vigeant **Date: 01/01/2015**

La Margna Inc considers that all the information contained in this msds sheet is accurate. We do not offer however, any warranty regarding the exactitude of this data or upon the results to be obtained from using the product. La Margna Inc. assumes no responsibility regarding personal injuries or property damage to vendees, users or third parties caused by the material. The vendor or users assume all risks associated with the use of any product sold by La Margna Inc.